

# MATERIAL SAFETY DATA SHEET

Information Phone # 1-800 874 7415  
Latest Revision Date: 4.29.2003  
EMERGENCY PHONE #:1-800 535-5053

**Jobsite Supply**  
624 S.Missouri  
Indianapolis, IN 46225

## SECTION I PRODUCT IDENTIFICATION

CAS#	N/A
TRADE NAME OR CHEMICAL NAME	JS Strong Bond
CHEMICAL FAMILY	Modified Acrylic Emulsion - Latex
HMIS RATING	Health 1 Fire 1 Reactivity 0

## SECTION II HAZARDOUS INGREDIENTS

INGREDIENT				
CAS#				
ACGIH TLV/TWA				
ACGIH TLV/STEL				
OSHA PEL/TWA				
OSHA PEL/STEL				
LD50, Oral				
LD 50, Dermal				
LD 50, Inhalation				
PCT BY WT:				

## SECTION III PHYSICAL DATA

Physical State	N/A	Specific Gravity	1.01+/- .011-800
Appearance	MILKY WHITE LIQUID	VOC, Calculated	0-100gr/1000ml
Odor	SLIGHT AMMONIACAL	pH	9+/-10
Boiling Range	212°F	Freezing Point	N/A
Vapor Pressure	N/A	Water Solubility	SOLUBLE

## SECTION IV FIRE AND EXPLOSION HAZARD DATA

Lowest Closed Cup Flashpoint	N/A
OSHA Flammability Classification	N/A
DOT Flammability Classification	N/A
Lower Flammable Limit in Air	N/A
DOT Shipping Name	N/A
Flash Points	N/A
Mechanical Impact Explosion	N/A
Static Electricity Explosion	N/A
EXTINGUISHING MEDIA	WATER, FOG, CO <sub>2</sub> , DRY CHEMICALS, ETC.

### UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINER TIGHTLY CLOSED AND ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS AND FLAME. NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (FULL OR EMPTY).

### SPECIAL FIRE FIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT.



**SECTION IX SPECIAL PRECAUTIONS**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**  
DO NOT STORE ABOVE 110 °F. DO NOT FREEZE.

**OTHER PRECAUTIONS:**  
THERE IS POSSIBILITY OF PRESSURE BUILDUP IN CLOSED CONTAINERS WHEN HEATED

**SECTION X SARA TITLE III INFORMATION**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  N/A

NAME					
CAS#					
PC. WEIGHT					

**SECTION XI TRANSPORTATION INFORMATION**

D.O.T. SHIPPING NAME	NOT REGULATED BY D.O.T. MATERIAL
D.O.T. HAZARD NAME	
PACKING GROUP	
U.N. NUMBER	

**DISCLAIMER AND LIMITATION OF LIABILITY**

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the Jobsite Supply knowledge; however, The Jobsite Supply makes no warranty whatsoever, expressed or implied of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. The Jobsite Supply assumes no responsibility for injury to recipient or to third persons or for any property and recipient assumes all such risk.